

Flamingo

Exterior

FLAMINGO collection

design by
Sara Moroni

Platek®

downlight
wall
bollard
floor



FLAMINGO floor



Flamingo is a family of products from minimal design in the emblem of the maximum flexibility. Sinuous but rigorous lines generate high performance of light distribution: wall, ceiling and floor lamps are available in the version

with long adjustable arms that reach and illuminate large portions of space. Flamingo thus creates scenographic effects that are always different both indoor and outdoor.

FLAMINGO downlight



FLAMINGO downlight



FLAMINGO downlight












FLAMINGO bollard



FLAMINGO bollard









FLAMINGO collection

Lighting data


FLAMINGO downlight



IP65 . IK06

h. 170 mm | 6 11/16"
h. 800 mm | 31 1/2"


FLAMINGO wall



IP65 . IK06

h. 370 mm | 14 9/16"
h. 1400 mm | 55 1/8"
h. 1400 mm | 55 1/8" (extended)

FLAMINGO bollard




IP65 . IK06

h. 800 mm | 31 1/2"
h. 1500 mm | 59 1/16"
h. 1900 mm | 74 13/16"

IP68 connector included

FLAMINGO floor



IP65 . IK06

h. 1500 mm | 59 1/6"
h. 1900 mm | 74 13/16"

IP44 SCHUKO included

downlight / wall / bollard / floor

3000K CRI>80 120/277V
RIAC dimmable ⊕

3000K / 4000K 2700K
available on request



7.5W | 385 lm (*) 2 mm
methacrylate frosted diffuser

75° optic
680 cd/klm

ZANEEN

This product catalog has been provided by Zaneen.
Contact your local representative, zteam@zaneen.com or 1-800.388.3382