

Tube

Exterior

Cangini & Tucci

Cini & Nils

Prolight

Letroh

Panzeri

Platek

Ole

Side

UnoNoveSette

Ivela

Icone

Linea Zero

Milan

Quasar


Tunto

Knickboker

Studio Zaneen

Fambuena

Platek



TUBE collection

lighting post urban lighting

ARCHITECTURAL EXTERIOR LIGHTING



ARCHITECTURAL EXTERIOR LIGHTING

TUBE lighting post / urban lighting



TUBE lighting post

ARCHITECTURAL EXTERIOR LIGHTING

Functionality, energy saving and minimalist style are the features of the new stalks and TUBE posts, a polyfunctional collection for urban furniture that adapts to environments classical and contemporary.

The perfect union between essentiality of volumes and structural solidity, is ideal for projects of spaces in public and private areas, made for sustainability and for the formal harmony.

ARCHITECTURAL EXTERIOR LIGHTING

TUBE lighting post



ARCHITECTURAL EXTERIOR LIGHTING



TUBE lighting post

ARCHITECTURAL EXTERIOR LIGHTING



ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING

TUBE lighting post

ARCHITECTURAL EXTERIOR LIGHTING



TUBE lighting post



ARCHITECTURAL EXTERIOR LIGHTING

TUBE lighting post

TUBE lighting post



ARCHITECTURAL EXTERIOR LIGHTING



TUBE urban lighting

ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING



ARCHITECTURAL EXTERIOR LIGHTING

TUBE lighting post / urban lighting



ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING

TUBE lighting post / urban lighting

TUBE urban lighting



ARCHITECTURAL EXTERIOR LIGHTING



TUBE urban lighting


ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING




ARCHITECTURAL EXTERIOR LIGHTING

TUBE urban lighting



TUBE collection

TUBE
lighting post




IP65
IK 10

ø 160 mm | 6 5/16"

h. 260 mm | 10 1/4"
h. 1000 mm | 39 3/8"

TUBE
urban lighting



IP65
IK 10

ø 160 mm | 6 5/16"

h. 3000 mm | 118 1/8"
h. 4000 mm | 157 1/2"

Lighting data

TUBE lighting post

WHITE LED

→ h. 260 mm | 10 1/4"

→ h. 1000 mm | 39 3/8"

3000K CRI>80 120/277V



10W | 415 lm ⊕
transparent diffuser



20W | 920 lm ⊕
transparent diffuser

3000K / 4000K

2700K available on request

→ h. 260 mm | 10 1/4"

→ h. 1000 mm | 39 3/8"



10W | 610 lm ⊕
sandblasted diffuser



20W | 1250 lm ⊕
sandblasted diffuser

RGBW LED

→ h. 260 mm | 10 1/4"

→ h. 1000 mm | 39 3/8"

max. 500mA ⬠

4 channels +

1 channel NTC



11.W lm
sandblasted diffuser




16.5W
sandblasted diffuser

standard finishes



.01 black




.02 white



.07 corten



.08 anthracite



.06 grey



.09 bronze



Lighting data

TUBE urban lighting

WHITE LED

3000K CRI>80 120/277V



3000K / 4000K

2700K available on request

→ h. 3000 mm | 118 1/8"



42W | 2015 lm
transparent diffuser

→ h. 4000 mm | 157 1/2"



42W | 2015 lm
transparent diffuser

→ h. 3000 mm | 118 1/8"



42W | 2835 lm
sandblasted diffuser

→ h. 4000 mm | 157 1/2"



42W | 2835 lm
sandblasted diffuser

RGBW LED

max. 500mA

4 channels +

1 channel NTC

→ h. 3000 mm | 118 1/8"



35W
sandblasted diffuser

→ h. 4000 mm | 157 1/2"



35W
sandblasted diffuser



This product catalog has been provided by Zaneen.
Contact your local representative, zteam@zaneen.com or 1-800.388.3382