

Invader


Compact vs. Standard

Architectural



Invader

Compact vs. Standard



Features Summary




Invader Compact

- Minimal Size with High Output - lower fixture depth (height) while maintaining high lumens;
- Ideal for installations with limited space;
- High wattage and better efficiency = improved lumens/watt;
- Invader Compact Adjustable articulates below ceiling plane with no gaps between fixture and housing;
- Market competitive pricing;
- Universal 68mm ceiling cut-out.




Invader Standard


- Extensive family range with more options in sizes, light manipulation, and installation types;
- Family includes Wallwasher, IP65 and Regressed LED;
- Quick removal/installation methods;
- Invader Adjustable has articulation hidden behind ceiling plane;
- Invader trimless offers a seamless integration with drywall - the most concealed design;
- Special lens upon request - unmatched visual comfort.




Compact
Recessed | Trimless



Compact Adjustable
Recessed | Trimless



Standard - Small and Large
Recessed | Trimless



Standard Adjustable
Recessed | Trimless

Compare Invader models

DIMENSIONS	(mm)	Ø75xH52 Ø75xH52	Ø75xH75 Ø75xH75	Ø45xH49 / Ø45xH71 Ø39xH49 Ø85xH87 / Ø85xH105 Ø39xH72 Ø148xH130 Ø71xH99	Ø62xH74 / Ø109xH105 Ø90xH126	
LED	CCT: Kelvin (°K)	2700 / 3000 / 3500 / 4000		2700 / 3000 / 3500 / 4000		
	Lumen (lm)	1012 - 1123		821 - 911		
	Wattage (W)	11.2 - 12		11.2 - 12		
CONTROL	Dim to Warm*	✓		✓		
PROTECTION	IP Rating	IP44		IP20 / IP54 / IP65+ IP20		
OPTICAL	Adjustability	fixed		fixed		
	Beamwidth	 Spot  Flood  Very Wide Flood		↙ 0-25° ↻ 0-350°  Spot  Flood  Wide Flood		↙ +/-15° ↻ 180° (Ø62) ↙ +/-30° ↻ 180° ↙ +/-30° (Ø109)  Spot  Medium  Flood  Very Wide Flood

* Dim to Warm has different wattages and lumens.

Upon Request: Tunable, RGB, Specialty LEDs.

ZANEEN

This product catalog has been provided by Zaneen.
Contact your local representative, zteam@zaneen.com or 1-800.388.3382