

Sign Architectural



SIGN DANCING MAKES A DIFFERENCE
















PLAYFULLY FLEXIBLE

SIGN DIVA DANCER | SIGN DIVA DANCER PLAY

- flexible swiveling system to play on both the ceilings and walls
- variable over 180°

SIGN BENEFITS

- tool-free adjustment of the rod (+/- 50° in steps of 10°)

SIGN DIVA DANCER PLAY

- in addition: stepless and tool-free adjustment over +/- 90°
- ultimate freedom to light up space

QUICK-CHANGE ARTIST

MULTI COLOUR SELECTION

- different colourful lights and cables, KORONA SHINE (glowing transparent PMMA ring in 6 different colors), KORONA FRAME (set back diffuser, colored edges visible at the sides, in 25 PROLICHT colors) and diffusers alter the appearance and illumination effect

NEW SPECIAL OPTICS


ADDITIONAL DECORATIVE DIFFUSERS

- SPARKLING SECRET: sparkling effect, powerful light transmission - VINTAGE INDUSTRIAL: honeycomb prismatic, enjoyable lighting


LIGHT EFFECTS

AURA vs. INDIRECT LIGHTING

- AURA: decorative floating light effect of surface mounted SIGN
- (available in 6 colors)
- INDIRECT: additional emphasis of the ceiling, perfect dir./indir. illumination



LET'S PLAY.





PROLICHTs patented swivelling system allows to moving the SIGN DIVA DANCER PLAY luminaires to every side.



SIGN		SIGN	SIGN DIVA	SIGN DIVA TUBE	SIGN DIVA DANCER PLAY	SIGN DIVA DANCER
MOUNTING	Trimless	Ø 140 / 200 / 300 / 630 / 930 / 1230	-	-	-	-
DIMENSION (mm)	Trimless Concrete 2	Ø 200 / 300 / 380	-	-	_	_
	Recessed 3	Ø 313 / 393 / 492 / 670 / 970 / 1270	-	-	-	-
	Surface 4	Ø 470 / 650 / 950 / 1250	Ø 200 / 400 / 570 / 850 / 1100	-	-	-
	Suspended 5	Ø 470 / 650 / 950 / 1250	Ø 200 / 400 / 570 / 850 / 1100	Ø 200 / 400 / 570	Ø 200 / 400 / 570	Ø 850 / 1100
LED	CCT: Kelvin	3000 / 4000	2700 / 3000 / 4000	2700 / 3000 / 4000	2700 / 3000 / 4000	2700 / 3000 / 4000
	Lumen	620-28650*	830-19760	830-19760	830-6650	8490-19360
	Wattage	8.2-241.8	11.0-174.9	11.0-174.9	11.0-50.8	88.4-155.1
FINISH	25 PROLICHT Colours	●3/4/5	•	•	•	•
CONTROL	ON/OFF	•	•	•	•	•
	1-10 V Dim	O3	0	0	0	0
	DALI Dim	•3	•	•	•	•
PROTECTION	IP20	•	•	•	•	•
OPTICAL	Adjustable				±50°/90° 180°	±50° 180°
	Distribution dir.	•	•	•	•	•
	Distribution dir./ind.	O5	O ₅	O ₅	O5	O ₅
	Opal diffuser	•	•	•	•	•
	Microprism	•	•	•	•	•
	Vintage Industrial	0	0	0	0	•
	Sparkling Secret	0	0	0	0	•
FEATURES	Aura	O4	O4			
	Korona Frame		O√2/4/5	O1/2/4/5	0	0
	Korona Shine		O4	O4	O4	0

O Optionally available | * Concrete variant: 870-2070 lm, 9.8-22.9 W | Status: 01/2018



Available in 25 Colors

 RAL
 and any other specical colour on request

 6
 17
 18
 19
 20
 21
 22
 23
 24
 25



new diffusers SPARKLING SECRET (SPS) and VINTAGE INDUSTRIAL (VI)





PLAY AND MAKE A DIFFERENCE



ZANEEN