


SUPER-G

System Workbook

Do you need ideas for design configurations?




SUPER-G COMPONENTS

02


CONFIGURATION A

04



CONFIGURATION B

06




CONFIGURATION C

08



CONFIGURATION D

10



CONFIGURATION E

12




COLOR FINISH CHART

14

SUPER-G SUSPENSION

COMPONENTS







Super-G Suspension

A: 1150mm
L30253- / L30531-
B: 1750mm
L30255- / L30533-


C: Ø2100mm | 120°
L30245- / L30535-
D: Ø3100mm | 90°
L30247- / L30537-
E: Ø4000mm | 72°
L30249- / L30539-
F: Ø5400mm | 51°
L30251- / L30541-

G: Round End Cap
L38115-
H: Flat End Cap
L38346-
I: 3 Way Crossing
L38151-



SUPER-G SUSPENSION

CONFIGURATION A




Bill of Materials


Item	Model #	Qty	Description
A	L30245-DV-XX-XX	9	Super-G - Ø2100 120° Curve - Suspension - Direct - 35.4W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
B	L38117-XX	18	Super-G - Suspension Cable - 2000mm - 29 Finishes.
C	L39014-XX	1	Super-G - Power Feed 5x0.75 - 2000mm - 29 Finishes.

SUPER-G SUSPENSION

CONFIGURATION A



Finishes: BLS - Blue Sky




Complimentary designs to configuration A

* Contact factory to obtain bill of materials and formal quote for complimentary designs.

SUPER-G SUSPENSION

CONFIGURATION B




Bill of Materials


Item	Model #	Qty	Description
A	L30245-DV-XX-XX	3	Super-G - Ø2100 120° Curve - Suspension - Direct - 35.4W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
B	L30255-DV-XX-XX	3	Super-G - 1750mm Straight - Suspension - Direct - 30.4W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
C	L38117-XX	12	Super-G - Suspension Cable - 2000mm - 29 Finishes.
D	L39014-XX	1	Super-G - Power Feed 5x0.75 - 2000mm - 29 Finishes.

SUPER-G SUSPENSION

CONFIGURATION B



Finishes: UFT - Urban Forest




Complimentary designs to configuration B

* Contact factory to obtain bill of materials and formal quote for complimentary designs.

SUPER-G SUSPENSION

CONFIGURATION C




Bill of Materials


Item	Model #	Qty	Description
A	L30245-DV-XX-XX	3	Super-G - Ø2100 120° Curve - Suspension - Direct - 35.4W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
B	L38151-DV-XX-XX	1	Super-G - Crossing - Suspension - Direct - 9.9W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
C	L38117-XX	9	Super-G - Suspension Cable - 2000mm - 29 Finishes.
D	L39014-XX	1	Super-G - Power Feed 5x0.75 - 2000mm - 29 Finishes.
E	L38346-XX	3	Super-G - Flat End Cap - 29 Finishes.

SUPER-G SUSPENSION

CONFIGURATION C



Finishes: GOH - Golden Heart




Complimentary designs to configuration C

* Contact factory to obtain bill of materials and formal quote for complimentary designs.

SUPER-G SUSPENSION

CONFIGURATION D




Bill of Materials


Item	Model #	Qty	Description
A	L30245-DV-XX-XX	9	Super-G - Ø2100 120° Curve - Suspension - Direct - 35.4W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
B	L38151-DV-XX-XX	6	Super-G - Crossing - Suspension - Direct - 9.9W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
C	L38117-XX	27	Super-G - Suspension Cable - 2000mm - 29 Finishes.
D	L39014-XX	1	Super-G - Power Feed 5x0.75 - 2000mm - 29 Finishes.

SUPER-G SUSPENSION

CONFIGURATION D



Finishes: KIA - Kissing Aphrodite




Complimentary designs to configuration D

* Contact factory to obtain bill of materials and formal quote for complimentary designs.

SUPER-G SUSPENSION

CONFIGURATION E




Bill of Materials


Item	Model #	Qty	Description
A	L30255-DV-XX-XX	3	Super-G - 1750mm Straight - Suspension - Direct - 30.4W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
B	L38151-DV-XX-XX	1	Super-G - Crossing - Suspension - Direct - 9.9W LED - 3000K / 3500K / 4000K - 0-10V Dimming - Opal - 29 Finishes.
C	L38117-XX	9	Super-G - Suspension Cable - 2000mm - 29 Finishes.
D	L39014-XX	1	Super-G - Power Feed 5x0.75 - 2000mm - 29 Finishes.
E	L38346-XX	3	Super-G - Flat End Cap - 29 Finishes.

SUPER-G SUSPENSION

CONFIGURATION E



Finishes: FUP - Funky P.



Complimentary designs to configuration E

* Contact factory to obtain bill of materials and formal quote for complimentary designs.













SUPER-G SUSPENSION

COLOR FINISH CHART

	01	SPARKLING SILVER
	02	BLACK VELVET
	03	CRYSTAL WHITE
	04	CREAMY
	05	HAMPTON BAY
	07	URBAN FOREST
	08	IN THE ARMY
	09	RUSTY ANGLE
	12	FADE TO GREY
	13	MYSTERIOUS GREY
	15	LOST DREAM
	16	PURPLE SKY
	17	FRESH OH

SUPER-G SUSPENSION

COLOR FINISH CHART

	18	FUNKY P.
	19	KISSING APHRODITE
	20	POSEIDON'S PARADISE
	21	BLUE SKY
	22	SPRING GREEN
	23	MELLOW YELLOW
	24	GOLDEN HEART
	25	GUN METAL
	26	CHAMPAGNE CREAM
	27	COPPER MINE
	28	ANCIENT BRONZE
	29	JAZZ GOLD

* RAL Classic or any other special color on request.

zaneen.com