

# Super-G


Architectural

ZANEEN


 PROLICHT





# SUPER-G SHAPE MAKES A DIFFERENCE




SUPER-G can be engraved and even highlighted with colour if required, creating a real eye-catcher.



SUPER-G SLIM straight pieces can be fitted with RICO reflector technology (reflector integrated cut-off).



INTERNAL REFLECTOR



DIRECT/INDIRECT LIGHTING

## SUPER-G **BENEFITS**

### UNLIMITED CURVES

SUPER-G | SUPER-G SLIM

- freely selectable arrangements featuring a range of diameters and angles, straight connecting pieces and curved corners
- highly flexible concepts, any conceivable alignment possible

### SUPER-G IDENTITY

ENGRAVING THE UNIQUE

- engraving of logos, characters or any font continuously over the entire length of the system (max. height of 50 mm)
- highlighting with color on request

### EXTREMELY LOW UGR

REFLECTOR INTEGRATED CUT-OFF ON REQUEST

- SUPER-G SLIM: on request fitting with RICO reflector technology
- very low glare
- optimal visual comfort

### INDIRECT LIGHTING


INTERNAL WHITE REFLECTOR

- LED boards on a recessed top plate, allowing indirect lighting
- a white internal reflector ensures high efficiency and even illumination


**LET'S PLAY.**

SUPER-G SLIM SYSTEM | GLORIOUS SLIM  
M ELEMENTS ESCHBORN, GERMANY | LIGHT PLANNING: LICHTKOMPETENZ  
PHOTO: LARS GRUBER

**SUPER-G**



Dynamic, buoyant, powerful – SUPER-G brings movement to light design. The lamps – available in a recessed, surface-mounted or suspended version, as well as in two track widths (65 mm and 150 mm) – are composed of individual parts that can be seamlessly and infinitely arranged together. Straight connecting pieces in various lengths, curves in different radii, corners and intersections can be combined in a limitless number of sequences. Due to its free alignment, SUPER-G can be optimally adjusted to any architectural dimensions or assembled to create individual shapes.



### SUPER-G SLIM (RGB INDIRECT ILLUMINATION)


UNIVERSITY BASEL (LIBRARY), SWITZERLAND | ARCHITECT: HPAL HEINIGER + PARTNER  
LIGHT PLANNING: MAILICHT CATHERINE MAIER | PHOTO: O. KÜTTEL AG






**SUPER-G**  
HOTEL NOVOTEL, LUXEMBOURG | ARCHITECT & LIGHT PLANNER: AEM LIGHTING LUXEMBOURG  
PHOTO: DOMINIK BERG


**UNLIMITED FREEDOM OF CURVES**  
SUPER-G | SUPER-G SLIM



The luminaires are composed of in-dividual parts that can be seamlessly and infinitely arranged together. The freely selectable arrangements featuring a range of diameters and angles, straight connecting pieces and curved corners open up tremendous creative scope for unique, shadow-free lighting concepts.



Besides straight lengths, any radius above 350 mm is possible with the SUPER-G.



SUPER-G SLIM is characterized by straight pieces and fixed 45° or 90° corners.




**SUPER-G**  
MANDARIN ORIENTAL HOTEL, UNITED STATES OF AMERICA | INTERIOR ARCHITECT: TIHANY DESIGN  
LIGHT PLANNING: FOCUS LIGHTING OF NYC | PHOTO: GEORGE APOSTOLIDIS | PARTNER: ZANEEN



**SUPER-G**  
UNILEVER HEADQUARTER, INDONESIA  
ARCHITECT & INTERIOR DESIGNER: AEDAS SINGAPORE | LIGHT PLANNING: INHABIT HONG KONG

SUPER-G	DIMENSION MM	SUPER-G STRAIGHT		SUPER-G CURVED		SUPER-G SLIM STRAIGHT		SUPER-G SLIM CURVED	
		Recessed	Suspended	Recessed	Suspended	Recessed	Suspended	Recessed	Suspended
LED	CCT: Kelvin	3000 / 4000	3000 / 4000	3000 / 4000	3000 / 4000	3000 / 4000	3000 / 4000	3000 / 4000	3000 / 4000
	Lumen/m	1695	1695	1695	1695	2660	2660	2660	2660
	Wattage/m	18.2	18.2	18.2	18.2	23.1	23.1	23.1	23.1
	Tunable White	○	○	○	○	○	○	○	○
FINISH	25 PROLIGHT Colours	●	●	●	●	●	●	●	●
	SUPER-G Identity	○	○	○	○	○	○	○	○
	Customised radius	○	○	○	○	○	○	○	○
	Round end cap	○	○	○	○	○	○	○	○
	Straight end cap	●	●	●	●	●	●	●	●
	Cross 120°	●	●	●	●	●	●	●	●
	Suspension cable 2-6 m	●	●	●	●	●	●	●	●
CONTROL	ON/OFF	●	●	●	●	●	●	●	●
	1-10 V Dim	○	○	○	○	○	○	○	○
	DALI Dim	●	●	●	●	●	●	●	●
PROTECTION	IP20	●	●	●	●	●	●	●	●
OPTICAL	Distribution dir.	●	●	●	●	●	●	●	●
	Distribution dir./ind.	○	○	○	○	○	○	○	○
	Opal diffuser	●	●	●	●	●	●	●	●
	Microprism	○	○	○	○	○	○	○	○
FEATURES	Rod suspension	○	○	○	○	○	○	○	○

○ Optionally available | Status: 01/2018





# ZANEEN

This product catalog has been provided by Zaneen.  
Contact your local representative, [zteam@zaneen.com](mailto:zteam@zaneen.com) or 1-800.388.3382