

Mesh

Exterior

Cangini & Tucci

Cini & Nils

Prolight

Letroh

Panzeri

Platek

Ole

Side

UnoNoveSette

Ivela

Icone

Linea Zero

Milan

Quasar


Tunto

Knickboker

Studio Zaneen

Fambuena

Platek



MESH collection

design by
Marco Acerbis

Platek®

battery lamp
applique
downlight
bollard
floor





Mesh is a contemporary revisiting of the classic model of a bedside lamp, where the lampshade is made in turned aluminium, painted and resistant to corrosion. Mesh thus becomes a suitable product for outdoor, resistant against water and weather. The light is diffused through small holes on the surface

of the lampshade, creating a cosy atmosphere and soft light. Available as wall lamp, table lamp, with rod and pendant, the collection allows an unlimited use in projects, also due to the right balance between decoration and technical performance. Mesh is now also available in battery-powered version.




MESH battery



DECORATIVE OUTDOOR LIGHTING

DECORATIVE OUTDOOR LIGHTING





MESH applique

DECORATIVE OUTDOOR LIGHTING

DECORATIVE OUTDOOR LIGHTING

MESH downlight



DECORATIVE OUTDOOR LIGHTING



MESH-XL downlight

DECORATIVE OUTDOOR LIGHTING







MESH floor

DECORATIVE OUTDOOR LIGHTING



MESH floor

DECORATIVE OUTDOOR LIGHTING



MESH XL floor



DECORATIVE OUTDOOR LIGHTING

MESH XL floor




DECORATIVE OUTDOOR LIGHTING





MESH table lamp / battery



IP65
IK 07

ø 200 x h. 420 mm


MESH applique



IP65
IK 06

ø 200 x h. 190 mm

MESH / MESH XL downlight




IP65
IK 07

MESH
ø 200 x h. 480 / 880

MESH XL
ø 500 x h. 635 / 1035 mm


MESH bollard



IP65
IK 07

ø 200 x h. 800
ø 200 x h. 1200 mm

MESH floor / MESH XL floor




IP65
IK 06

MESH: ø 200 x h. 800 / 1200 mm
MESH XL: ø 500 x h. 1900 mm

3 m cable length
(C/W IP44 SCHUKO plug)

standard finishes



.02 white



.09 bronze

MESH table lamp / battery

WHITE LED

2700K/3000K/4000K CRI>90
120V-277V 50/60Hz ⊕



12W | 295 lm (*)
diffuse

WHITE LED

3000K CRI>90
battery charged ⬢

MESH applique

WHITE LED

2700K/3000K/4000K CRI>90
120V-277V 50/60Hz ⊕



12W | 310 lm (*)
diffuse

(*) Real Data

MESH / MESH XL downlight

MESH downlight

WHITE LED

2700K/3000K/4000K CRI>90
120V-277V 50/60Hz ⊕

→ ø 200 × h. 480 mm



12W | 310 lm (*)
diffuse

→ ø 200 × h. 880 mm



12W | 310 lm (*)
diffuse

MESH XL downlight

WHITE LED

2700K/3000K/4000K CRI>90
120V-277V 50/60Hz ⊕

→ ø 500 × h. 635 mm



27W | 1620 lm (*)
diffuse

→ ø 500 × h. 1035 mm



27W | 1620 lm (*)
diffuse

MESH bollard

WHITE LED

2700K/3000K/4000K CRI>90
120V-277V 50/60Hz ⊕

→ ø 200 × h. 880 mm



12W | 295 lm (*)
diffuse

→ ø 200 × h. 1200 mm



12W | 295 lm (*)
diffuse

(*) Real Data

MESH / MESH XL floor

MESH floor

WHITE LED

2700K/3000K/4000K CRI>90
120V-277V 50/60Hz ⊕

→ ø 200 × h. 800 mm



12W | 295 lm (*)
diffuse

→ ø 200 × h. 1200 mm



12W | 295 lm (*)
diffuse

MESH XL floor

WHITE LED

2700K/3000K/4000K CRI>90
120V-277V 50/60Hz ⊕

→ ø 500 × h. 1900 mm



27W | 1520 lm (*)
diffuse

(*) Real Data



This product catalog has been provided by Zaneen.
Contact your local representative, zteam@zaneen.com or 1-800.388.3382