



Slim

Exterior

SLIM collection

bollard





Family of stalks from clean, elegant design and a thickness of just 36 mm, Slim is a stalk in discrete forms that can also be installed close to different walls, with no encumbrance. A set of rectangles composes the

wicket, with a diffuser on the same plane of the body completely flush. Available in two heights and with mono and bi-directional emission, it is suitable for walkways and paths of parks and gardens.

















SLIM collection

SLIM bollard 500

SLIM bollard 800

IP65
IK 08

IP65
IK 08

5 mm serigraphed
extra-clear glass

5 mm serigraphed
extra-clear glass

h. 500 mm | 19 11/16"

h. 800 mm | 31 1/2"



Lighting data

SLIM lighting post

WHITE LED

→ h. 500 mm | 19 11/16"

→ h. 800 mm | 31 1/2"

4000K CRI>80 120/277V



8,8W | 540 lm
1 opening



8,8W | 540 lm
1 opening

3000K / 4000K

→ h. 500 mm | 19 11/16"

→ h. 800 mm | 31 1/2"



8.8 W | 600 lm
2 openings



8.8 W | 600 lm
2 openings

ZANEEN

This product catalog has been provided by Zaneen.
Contact your local representative, zteam@zaneen.com or 1-800.388.3382