



Invader
Compact vs. Standard



Features Summary







Invader Compact

- Minimal Size with High Output - lower fixture depth (height) while maintaining high lumens;
- Ideal for installations with limited space;
- High wattage and better efficiency = improved lumens/watt;
- Invader Compact Adjustable articulates below ceiling plane with no gaps between fixture and housing;
- Market competitive pricing;
- Universal 68mm ceiling cut-out.



Invader Standard

- Extensive family range with more options in sizes, light manipulation, and installation types;
- Family includes Wallwasher, IP65 and Regressed LED;
- Quick removal/installation methods;
- Invader Adjustable has articulation hidden behind ceiling plane;
- Invader trimless offers a seamless integration with drywall - the most concealed design;
- Special lens upon request - unmatched visual comfort.



Compare Invader models

Compact
Recessed | Trimless

Compact Adjustable
Recessed | Trimless

Standard - Small and Large
Recessed | Trimless

Standard Adjustable
Recessed | Trimless

DIMENSIONS	(mm)	Ø75xH52 Ø75xH52	Ø75xH75 Ø75xH75	Ø45xH49 / Ø45xH71 Ø39xH49 Ø85xH87 / Ø85xH105 Ø39xH72 Ø148xH130 Ø71xH99	Ø62xH74 / Ø109xH105 Ø90xH126
LED	CCT: Kelvin (°K)	2700 / 3000 / 3500 / 4000	2700 / 3000 / 3500 / 4000	2700 / 3000 / 3500 / 4000	2700 / 3000 / 3500 / 4000
	Lumen (lm)	1012 - 1123	821 - 911	160 - 2405 160 - 1063	660 - 990 770 - 990
	Wattage (W)	11.2 - 12	11.2 - 12	2.3-25.94 2.3-14.7	6.8-14.7 13.4-14.7
CONTROL	Dim to Warm*	✓	✓	✓	✓
PROTECTION	IP Rating	IP44	IP40	IP20 / IP54 / IP65+ IP20	IP20 / IP44 (Ø109) IP20
OPTICAL	Adjustability	fixed	↙ 0-25° ↻ 0-350°	fixed	↙ +/-15° ↻ 180° (Ø62) ↙ +/-30° ↻ 180° ↙ +/-30° (Ø109)
	Beamwidth	 Spot  Flood  Very Wide Flood	 Spot  Flood  Wide Flood	 Spot  Medium  Flood  Very Wide Flood	 Spot  Medium  Flood  Very Wide Flood

* Dim to Warm has different wattages and lumens.

Upon Request: Tunable, RGB, Specialty LEDs.

29 Available colors - 

+ Available upon request