

BLEND collection

design by Marco Acerbis

applique bollard






A family of bollards and applique characterized by the balance between sculptural form and lighting technology. The collection is very wide, with different lighting options. Besides lighting the surrounding environment, the light plays with the lampobject by revealing and

enhancing the volumes.
Blend, in all its varieties, is an aesthetically pleasing object also when switched-off, thanks to its design that interacts with daylight, creating shadows and visual softness. The applique is designed to allow a double emission with diffused optic.
































BLEND collection

BLEND applique single / double emission	BLEND applique 360°	BLEND bollard h. 300 / 900 mm
IP65	IP65	IP65
IK 05	IK 05	IK 05
3 mm Photo-etched	diffuse emission	2 mm Photo-etched
methacrylate	2 mm Photo-etched	methacrylate
	methacrylate	
160 x 160 mm		160 x 160 x h. 300 mm
	160 x 160 mm	160 x 160 x h. 900 mm

Lighting data

BLEND applique

WHITE LED

2700K/3000K/4000K CRI>80 120V-277V 50/60 Hz → single emission

10W | 700 lm (*) 1 opening → double emission



19W | 1400 lm (*) 2 openings

→ 360°



13,5W | 1060 lm (*) diffuse

BLEND bollard

WHITE LED

2700K/3000K/4000K CRI>80 120V-277V 50/60 Hz → h. 300 mm

10W | 720 lm (*) diffuse → h. 900 mm



19,5W | 1300 lm (*) diffuse

ZANEEN