

Oiko Pro Slim and Invader Slim

Architectural

06



OIKO PRO SLIM

The OIKO PRO in a new look. The unique lighting technology remains, the design is new. The new OIKO PRO SLIM is characterized by its compact design and has an outer diameter of just 60 mm. The new OIKO PRO SLIM is available as a recessed or surface spotlight.



OIKO PRO SLIM

RECESSED - COMPARISON



Ø 60mm

2 3/4"

1254 lm max.







Ø 75mm

2 15/16"

1654 lm max.

- mounting frame only 9 mm (2 15/16")
- max. reduction possible for
- recessed mounting
- IP 20
- TW
- NO DUAL WALLWASH



OIKO PRO SLIM

RECESSED - COMPARISON




1036 lm max.



1451 lm max.

- fits in the existing family from OIKO with the well known advantages of the RMJ_Reflectors
- IP 20
- driver remote - all controls are possible
- 2700, 3000, 3500 + 4000 K, tunable white
- NO DUAL WALLWASH


90 mm 3 9/16"



125 mm 4 15/16"

OIKO PRO SLIM

DIMENSIONS



Ø58 mm 2 5/16"

58 mm 2 5/16"

90 mm 3 9/16"



Ø59 mm 2 5/16"



INVADER 60

INVADER 60 is the "MISSING LINK" in the INVADER family. With its maximally reduced appearance, it nevertheless creates the familiar colour effect and, with its max. 863 lm and 2 distributions, has sufficient potential to become the solution for large projects too.



INVADER NEW SIZE SURFACE




1036 lm max.



1451 lm max.


- flood and wide flood
- D2W
- IP 20
- driver remote – all controls are possible
- two color options

90 mm 3 9/16"




125 mm 4 15/16"

INVADER NEW SIZE RECESSED



INVADER NEW SIZE


DIMENSIONS



Ø58 mm 2 5/16"

58 mm 2 5/16"

90 mm 3 9/16"



Ø59 mm 2 5/16"



ZANEEN

This product catalog has been provided by Zaneen.
Contact your local representative, zteam@zaneen.com or 1-800.388.3382