

Tris

Exterior

Cangini & Tucci

Cini & Nils

Prolight

Letroh

Panzeri

Platek

Ole

Side

UnoNoveSette

Ivela

Icone

Linea Zero

Milan

Quasar


Tunto

Knickboker

Studio Zaneen

Fambuena

Platek



TRIS collection

lighting post urban lighting

ARCHITECTURAL EXTERIOR LIGHTING



ARCHITECTURAL EXTERIOR LIGHTING

TRIS urban lighting



This collection is defined by classic elegant lines because of a linear design which is sober, free of sharp corners and generated by a cylindrical volume. The upper part of the structure is separated

from the lower one and it is lightened by 3 posts. When on, the structure of Tris disappears from sight, transformed into light. A series dedicated to the urban furniture, suitable for pedestrian areas and parks.

TRIS lighting post



ARCHITECTURAL EXTERIOR LIGHTING



TRIS lighting post

ARCHITECTURAL EXTERIOR LIGHTING



TRIS lighting post


ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING



TRIS lighting post

ARCHITECTURAL EXTERIOR LIGHTING



ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING



TRIS - urban lighting

ARCHITECTURAL EXTERIOR LIGHTING



TRIS Urban lighting

ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING

TRIS urban lighting



ARCHITECTURAL EXTERIOR LIGHTING



TRIS urban lighting

ARCHITECTURAL EXTERIOR LIGHTING

TRIS urban lighting



ARCHITECTURAL EXTERIOR LIGHTING

ARCHITECTURAL EXTERIOR LIGHTING

TRIS urban lighting



ARCHITECTURAL EXTERIOR LIGHTING



TRIS urban lighting


ARCHITECTURAL EXTERIOR LIGHTING

TRIS lighting post

ARCHITECTURAL EXTERIOR LIGHTING




ARCHITECTURAL EXTERIOR LIGHTING



TRIS collection

TRIS lighting post




IP66
IK 10

4 mm PMMA diffuser

ø 160 mm | 6 5/16"

h. 900 mm 35 7/16"
h. 1800 mm 70 7/8"

TRIS urban lighting



IP66
IK 10

4 mm PMMA diffuser

ø 160 mm | 6 5/16"

h. 2600 mm | 102 3/8"
h. 3600 mm | 141 3/4"

Lighting data


TUBE lighting post / urban lighting

WHITE LED


→ h. 900 mm | 35 7/16"

→ h. 1800 mm | 70 7/8"

4000K CRI>80



21W | 17W
2070 lm
transparent diffuser



30W | 26W
2880 lm
transparent diffuser


120V / 277V

2700K / 4000K


available on request

→ h. 2600 mm | 102 3/8"

→ h. 3600 mm | 141 3/4"



45W | 41W
3820 lm
transparent diffuser



45W | 3 41W
820 lm
transparent diffuser

ARCHITECTURAL EXTERIOR LIGHTING

standard finishes




.06 grey

on request finishes



.01 black



.02 white



.07 corten



.08 anthracite



.09 bronze

ARCHITECTURAL EXTERIOR LIGHTING



This product catalog has been provided by Zaneen.
Contact your local representative, zteam@zaneen.com or 1-800.388.3382