



# SNOOKER

System Workbook

Do you need ideas for design configurations?




Monopoint with Recessed Canopy




2

Monopoint with Surface Canopy




4

Trimless with Clicktrack 25




6

Trimless with Clicktrack 50




8

Trimless G-50 Gravity Lift




10

Surface with Clicktrack 30




12

Surface G-50 Gravity Lift




14

Suspension with Clicktrack 30



16

Surface with G-board Gravity Lift




18

\* All design examples are interchangeable and compatible with the Hangover series.


# MONOPOINT WITH RECESSED CANOPY

Front View



# MONOPOINT WITH RECESSED CANOPY

Perspective View




## Bill of Materials

Item	Model #	Qty	Description
A	L30825-30K-02-02-02	7	Snooker - Recessed - LED 6.6W 290 lm, 500mA, 3000K, CRI90, 55°, Tri-Mode Dim- Black Velvet w/Driver & enclosure.

\* Requires remote driver with enclosure


# MONOPOINT WITH SURFACE CANOPY

Front View



# MONOPOINT WITH SURFACE CANOPY

Perspective View




## Bill of Materials

Item	Model #	Qty	Description
A	L30827-DT-27K-02-02-01	7	Snooker - LED 6.6W 270 lm, 500mA, 2700K, CRI90, 55°, Tri-Mode Dimming - Black Velvet - 2000mm Cable

\* Requires remote driver with enclosure


# TRIMLESS PROFILE SYSTEM WITH CLICKTRACK 25

Front View



# TRIMLESS PROFILE SYSTEM WITH CLICKTRACK 25

Perspective View




## Bill of Materials

Item	Model #	Qty	Description
A	L35643-3000	1	Clicktrack 25 - Trimless - 3000mm / 118 1/8" Aluminum Profile - Black
B	L38801	2	Clicktrack 25 - Trimless - End Cap - Black
C	L3899699	1	Driver LC 48V 100W DC-STR UNV
D	L38000199	1	Bridge 0-10V PLC DC-STR
E	ENCP50	1	Empty Metal Enclosure for Driver - IP20, 670mm x 40mm x 35mm
F	L38803	1	48V Power Feed - Black
G	L3T090-DV-30K-02	7	Snooker - Track Head - 6.5W LED - 3000K 0-10V Dimming - Black Velvet (D) - 2000mm Cable
H	L38806	1	Frame Alignment Kit

\* Requires remote driver(s) with enclosure


# TRIMLESS PROFILE SYSTEM WITH CLICKTRACK 50

Front View



# TRIMLESS PROFILE SYSTEM WITH CLICKTRACK 50

Perspective View




## Bill of Materials

Item	Model #	Qty	Description
A	L38810-3000-12	1	Clicktrack 50 - Trimless - 3000mm / 118 1/8" Aluminum Profile - Black
B	L38801	2	Clicktrack 50 - Trimless - End Cap - Black
C	L3899699	1	Driver LC 48V 100W DC-STR UNV
D	L38000199	1	Bridge 0-10V PLC DC-STR
E	ENCP50	1	Empty Metal Enclosure for Driver - IP20, 670mm x 40mm x 35mm
F	L38802	1	48V Power Feed - Black
G	L3T090-DV-30K-02	7	Snooker - Track Head - 6.5W LED - 3000K 0-10V Dimming - Black Velvet (D) - 2000mm Cable
H	L38817	1	Frame Alignment Kit

\* Requires remote driver(s) with enclosure


# TRIMLESS PROFILE SYSTEM WITH G-50 GRAVITY LIFT

Front View



# TRIMLESS PROFILE SYSTEM WITH G-50 GRAVITY LIFT

Perspective View



## Bill of Materials

Item	Model #	Qty	Description
A	L35613-3000	1	G-50 Channel   Gravity Lift - Trimless - 3000mm / 118 1/8" - Black
B	L38825-02	1	G-50 Channel   Gravity Lift - Black Endplate - 1 Pair
C	L38839-02	1	G-50 Channel   Gravity Lift - Power Supply Unit c/w Remote 96W, 0-10V Driver + Bridge - for 48Vdc Track - Black Velvet
D	L38841-02	7	G-50 Channel   Gravity Lift - 48V 500mA (0-10V Dimmable) - Black Velvet
E	L38866-30K-02	7	Snooker Track - LED 6.5W 310lm, 580mA, 3000K, CRI90 - Black Velvet


\* Gravity lift for variable adjustability over 1.5m and option to extend cable by another 3.5m

\* Requires remote driver(s) with enclosure




# SURFACE PROFILE SYSTEM WITH CLICKTRACK 30

Front View



# SURFACE PROFILE SYSTEM WITH CLICKTRACK 30

Perspective View




## Bill of Materials

Item	Model #	Qty	Description
A	L38929-3000-02	1	Clicktrack 30 Surface System-Surface Profile - 3000mm / 118 1/8" - Black Velvet
B	L38932-02	2	Clicktrack 30 - Surface End Cap - Black Velvet
C	L3899699	1	Driver LC 48V 100W DC-STR UNV
D	L38000199	1	Bridge 0-10V PLC DC-STR
E	ENCP50	1	Empty Metal Enclosure for Driver - IP20, 670mm x 40mm x 35mm
F	L38803	1	48V Power Feed - Black
G	L3T090-DV-30K-02	7	Snooker - Track Head - 6.5W LED - 3000K - 0-10V Dimming - Black Velvet (D) - 2000mm Cable

\* Requires remote driver(s) with enclosure


# SURFACE PROFILE SYSTEM WITH G-50 GRAVITY LIFT

Front View



# SURFACE PROFILE SYSTEM WITH G-50 GRAVITY LIFT

Perspective View



## Bill of Materials


Item	Model #	Qty	Description
A	L3D107-3000-02	1	G-50 Channel   Gravity Lift -Surface Profile - 3000mm / 118 1/8" - Black Velvet
B	L38947-02	1	G-50 Channel  Gravity Lift - Surface Profile End Plate 1 pair - Black Velvet
C	L38839-02	1	G-50 Channel   Gravity Lift - Power Supply Unit c/w Remote 96W, 0-10V Driver + Bridge - for 48Vdc Track - Black Velvet
D	L38841-02	7	G-50 Channel   Gravity Lift - 48V 500mA (0-10V Dimmable) - Black Velvet
E	L38866-30K-02	7	Snooker Track - LED 6.5W 310lm, 580mA, 3000K, CRI90 - Black Velvet

\* Gravity lift for variable adjustability over 1.5m and option to extend cable by another 3.5m

\* Requires remote driver(s) with enclosure


# SUSPENSION PROFILE SYSTEM WITH CLICKTRACK 30

Front View



# SUSPENSION PROFILE SYSTEM WITH CLICKTRACK 30

Perspective View




## Bill of Materials

Item	Model #	Qty	Description
A	L38930-3000-02	1	Clicktrack 30 - Suspension System - Profile - 3000mm 118 1/8" - Black Velvet
B	L38931-02	2	Suspension End Cap - Black Velvet
C	L3899699	1	Driver LC 48V 100W DC-STR UNV
D	L38000199	1	Bridge 0-10V PLC DC-STR
E	ENCP50	1	Empty Metal Enclosure for Driver - IP20, 670mm x 40mm x 35mm
F	L38803	1	48V Power Feed - Black
G	L3T090-DV-30K-02	7	Snooker - Track Head - 6.5W LED - 3000K - 0-10V Dimming - Black Velvet (D) - 2000mm Cable
H	L39014-02	1	Suspension Power Feed 5x0.75 2000mm
I	L38957-01	3	Suspension Cable - 2000mm 78 3/4"

\* Requires remote driver(s) with enclosure


# SURFACE PROFILE SYSTEM WITH G-BOARD GRAVITY LIFT

Front View



# SURFACE PROFILE SYSTEM WITH G-BOARD GRAVITY LIFT

Perspective View



## Bill of Materials

Item	Model #	Qty	Description
A	L38950-02	1	G-Board Module   Gravity Lift - Surface - Black Velvet
B	L38838-02	1	G-50 Channel   Gravity Lift - Supplier Unit 96W Track 48V -- Black Velvet
C	L38954-DV	4	G-Board Module   Gravity Lift - Gravity Lift 48V 500mA- 0-10V Dimming - Black Velvet
D	L38866-30K-02	4	Snooker Track - LED 6.5W 310lm, 580mA, 3000K, CRI90 - Black Velvet

\* Both series Hangover and Snooker can be used for configurations

\* Gravity Lift has 1.5m adjustability

Zaneen Group Inc. © 2021, T 1800-388-3382, F 416-247-9319, [www.zaneen.com](http://www.zaneen.com)

In a constant effort to supply the best product, we reserve the right to change specifications or materials without notice. The most recent specification sheets are found at [zaneen.com](http://zaneen.com)

Zaneen Group Inc. © 2021, T 1800-388-3382, F 416-247-9319, [www.zaneen.com](http://www.zaneen.com)

In a constant effort to supply the best product, we reserve the right to change specifications or materials without notice. The most recent specification sheets are found at [zaneen.com](http://zaneen.com)

