

TARGET FLOODLIGHT

INSTALLATION GUIDE

ZANEEN®



IP 65





	TARGET SMALL	TARGET MEDIUM	TARGET LARGE
White LED 120V 50/60Hz	8W / 1000 lm Nominal data	16W / 2000 lm Nominal data	32W / 4000 lm Nominal data
	10W / 820 lm Real data	20W / 1695 lm Real data	34,4W / 3225 lm Real data
RGBW LED max 700mA	max. 8.1W Nominal power	max. 16.2W Nominal power	max. 32.5W Nominal power
Weight	1 Kg	1,5 Kg	2,3 Kg





TARGET SMALL

Surface exposed to wind

0,020 m ²

Installation width: any





TARGET MEDIUM

Surface exposed to wind

0,024 m ²

Installation width: any





TARGET LARGE

Surface exposed to wind

0,044 m ²

Installation width: any





IP 65




TECHNICAL INFORMATION

Body in corrosion resistant and painted die-cast aluminium.


Protection with anodizing treatment, epoxy powder base coating and polyester painting.

Central joint for rotation on two axes with locking system for secure positioning.

A4 stainless steel screws. Gore valve to prevent condensation inside the product.




TARGET can be installed on pole by specially designed accessories.




It is possible to fix focusing tube or an anti-glare shield on all versions

TARGET FLOODLIGHT
INSTALLATION GUIDE



ZANEEN®



TARGET SMALL



TARGET MEDIUM
TARGET LARGE




TARGET FLOODLIGHT
INSTALLATION GUIDE

ZANEEN®




IP 65




Connector supplied


TARGET SMALL




TARGET MEDIUM
TARGET LARGE




Ø Cables 7-12 mm
H07RN-F <HAR>



TARGET SMALL



TARGET MEDIUM
TARGET LARGE






TARGET FLOODLIGHT
INSTALLATION GUIDE

ZANEEN®





SPIKE

TARGET small
TARGET medium




TARGET large





EXTENSION BASE

TARGET small




TARGET medium





WALL MOUNTING



Post Sales Support

HQ 1-800-388-3382 support@zaneen.com



EN

- Installation and electrification must be carried out by a qualified electrician, only.
- Observe all relevant building codes and regulations.
- Prior to installation or repair: disconnect power; it is the installer's responsibility to ensure for all electrical, mechanical and thermal compatibility.
- The LED light source contained in this fixture shall only be replaced by Zaneen, or a person approved by Zaneen.
- Recommendations: Keep the instruction sheet(s) in the event of maintenance and/or disassembly.

Access detailed spec sheets from www.zaneen.com

FR

- L'installation et l'électrification doivent être effectuées uniquement par un électricien qualifié.
- Respectez tous les codes du bâtiment et réglementations en vigueur.
- Avant l'installation ou la réparation: débranchez l'alimentation électrique; Il incombe à l'installateur des'assurer de la compatibilité électrique, mécanique et thermique.
- La source de lumière LED contenue dans ce luminaire ne doit être remplacée que par Zaneen, ou une personne approuvée par Zaneen.
- Recommandations: Conservez la (les) fiche (s) d'instructions en cas de maintenance et / ou de démontage

Accéder aux fiches techniques détaillées sur www.zaneen.com

Zaneen's lighting fixtures, when properly installed on correct line voltage, and under normal conditions of use, are warrantied as follows:

- All products, excluding lamps, are warrantied to be free from defect in materials and workmanship for a period of 12 months (1 year) from the date of invoice.
- Transformers and Ballast Warranty: 3 Years Limited Warranty from the invoice date.
- LED engines and power supplies: 5 Years Limited Warranty from the invoice date.

Warranty claims regarding the product(s) must be:
Submitted in writing within 30 days of discovery of the defect.

Zaneen uses only electrical components, which are produced by responsible manufacturers. Components that may fail in service within the warranty period, under normal use, will be replaced at no charge.

Zaneen will not assume labour or transportation charges in connection with replacement of such parts, nor for removal or re-installation of equipment or parts, nor for consequential damages or losses.

The warranty extended to Zaneen by the manufacturers of the electrical components is passed on to our customers.

At its option, Zaneen will repair or replace, any fixture defective as provided herein if such fixture is returned by the purchaser within the warranty period, provided Zaneen has issued a written "Return Goods Authorization". Such repair or replacement is the exclusive remedy against Zaneen and Zaneen is not responsible for damage of any sort whatsoever, including incidental and consequential damages or losses. This warranty extends only to replacement defective fixtures or components and no allowance will be made for labour or transportation charges in connection with replacement of such parts, nor for removal or re-installation of equipment or parts unless specifically authorized in writing by Zaneen prior to any work being performed.

Due to advances in LED technology and change to luminous flux of LED due to usage, replacement LED have different output properties from the original LED supplied with the product

This warranty only applies when the products are installed in applications in which ambient temperatures are within normal temperatures and are operated within the electrical values shown on the LED driver label.

Zaneen will not be responsible under warranty for any failure of the product that results directly or indirectly from improper installation and/or external causes such as: acts of nature, physical damage, and exposure to adverse or hazardous chemicals or other substances, use of harsh cleaning agent or harsh chemicals.

Warranty for any substantial deterioration in the product finish caused by failure to clean, inspect or maintain the finish of the product. The end user is responsible for the structural integrity of existing foundations, anchorages, or structures and all consequences arising from their use.